INDEX TO VOLUME 75

Andrew, Warren. Cytological changes in senility in the trigeminal ganglion, spinal cord and brain of the mouse, 406
Angioarchitecture of the thalamus in the rabbit. By B. Schlesinger, 176
Ascorbic acid, distribution in the developing chick embryo. By S. A. Barnett and G. Bourne, 251

Banks, J. *See* Martin, C. P., joint authors, 135
Barclay, A. E. *See* Franklin, K. J., joint authors, 75
Barnett, S. A. and Bourne, G. The distribution of ascorbic acid in the early stages of the developing chick embryo, 251
Basir, M. A. Note on the histology of lymph nodes in *Echidna*, 267
Baxter, J. S. The application of trichrome staining methods to embryological technique, 137
Bourne, G. *See* Barnett, S. A., joint authors, 251
Boyd, J. D. The sensory component of the hypoglossal nerve in the rabbit, 330
— The nerve supply of the mammalian ductus arteriosus, 457
Brambell, F. W. Rogers and Davis, D. H. S. The normal occurrence, structure and homology of prostate glands in adult female *Mastomys erythroleucus* Temm., 64
Brash, J. C. and Jamieson, E. B. Cunningham's Manual of Practical Anatomy. Review, 143

Cardio-vascular system in the viable foetal lamb. By K. J. Franklin, A. E. Barclay and M. M. L. Prichard, 75
Carpus, mechanical anatomy. By M. A. MacConaill, 166
Carter, G. S. A General Zoology of the Invertebrates. Review, 143
Clark, W. E. Le Gros. The laminar organization and cell content of the lateral geniculate body in the monkey, 419
— Observations on the association fibre system of the visual cortex and the central representation of the retina, 225
— *See* Glees, P., joint authors, 295
Cleavage lines, tension lines and hair tracts in man. By F. Wood Jones, 248
Cruciate ligaments of the knee joint, a note on the actions. By R. Wheeler Haines, 373
Cutaneous innervation in relation to cutaneous sensibility. By G. Weddell, 346

Davis, D. H. S. *See* Brambell, F. W. Rogers, joint authors, 64
Dental comb of lemurs. By D. Roberts, 236.
Dible, J. H. and West, C. M. A human ovum at the previllous stage, 269
Digits, cutaneous ligaments. By J. Grayson, 164
Ductus arteriosus, nerve supply in mammals. By J. D. Boyd, 457

Echidna, note on histology of lymph nodes. By M. A. Basir, 267
Embryo, distribution of ascorbic acid in the developing chick. By S. A. Barnett and G. Bourne, 251
— early human. By T. B. Johnston, 1
— H.R. 1, the chorion and endometrium. By T. B. Johnston, 153
— presomite human. By P. N. B. Odgers, 381
Embryological technique, application of trichrome staining methods. By J. S. Baxter, 137
Embryology of the amphibian nephric system, evolutionary significance. By R. J. O'Connor, 95
Epiphysial and sesamoid centres of ossification. By R. Wheeler Haines, 101
— structure in lizards and marsupials. By R. Wheeler Haines, 282

Foetal lamb, cardio-vascular system. By K. J. Franklin, A. E. Barclay and M. M. L. Prichard, 75
Franklin, K. J., Barclay, A. E. and Prichard, M. M. L. Some observations on the cardio-vascular system in the viable foetal lamb, 75
Frazer, J. Ernest. A Manual of Embryology. Review, 144
Fulton, J. F. *See* Zuckerman, S., joint authors, 447

Galago and *Perodicticus*, motor cortex. By S. Zuckerman and J. F. Fulton, 447
Geniculate body of the cat, termination of optic fibres. By P. Glees, 434
— of the monkey, termination of optic fibres. By P. Glees and W. E. Le Gros Clark, 295
— laminar organization and cell-content in the monkey. By W. E. Le Gros Clark, 419
Glees, P. The termination of optic fibres in the lateral geniculate body of the cat, 434
— The differentiation of the brain and other tissues in an implanted portion of an embryonic head, 239
— and Clark, W. E. Le Gros. The termination of optic fibres in the lateral geniculate body of the monkey, 295
Goldby, F. The normal histology of the thalamus in the phalanger, *Trichosurus vulpecula*, 197
Grant, J. C. Boileau. A Method of Anatomy. Review, 143
Grayson, J. The cutaneous ligaments of the digits, 164

Haines, R. Wheeler. A note on the actions of the cruciate ligaments of the knee joint, 373
— Notes on the independence of sesamoid and epiphysial centres of ossification, 101
Hair tracts, tension lines and cleavage lines in man. By F. Wood Jones, 248

Harper, W. F. Further observations on the structure of the human heart-valves, 88
Heart-valves, observations on the structure. By W. F. Harper, 88
Howden, Robert. In Memoriam, 376
Hypoglossal nerve, the sensory component. By J. D. Boyd, 330

In Memoriam. Matthew Young, 379
— Robert Howden, 376

Jefferson, J. M. A study of the subcortical connexions of the optic tract system of the ferret, with special reference to gonadal activities by retinal stimulation, 106
Johnston, T. B. An early human embryo, with 0·55 mm. long embryonic shield, 1
— The chorion and endometrium of the embryo H.R. 1, 153

Knee joint, note on the actions of the cruciate ligaments. By R. Wheeler Haines, 373

Lemur, dental comb. By D. Roberts, 236
Ligaments, cutaneous of digits. By J. Grayson, 164
Lymph nodes in *Echidna*, note on the histology. By M. A. Basir, 267

MacConaill, M. A. The mechanical anatomy of the carpus, 166
Martin, C. P. and Banks, J. The amount of mucosal tissue in the small intestine, 135
Mastomys erythroleucus, prostate glands in adult females. By F. W. Rogers Brambell and D. H. S. Davis, 64
Mitchell, G. A. G. A macroscopic study of the nerve supply of the stomach, 50
Morphogenesis of the thyroid gland. By K. E. Sgalitzer, 389
Morton, W. R. M. A stereoscopic X-ray method of reconstruction, 265
Motor cortex in *Galago* and *Perodicticus*. By S. Zuckerman and J. F. Fulton, 447
Mucosal tissue, amount in the small intestine. By C. P. Martin and J. Banks, 135

Nephric system in amphibians, evolutionary significance of the embryology. By R. J. O'Connor, 95
Nerve supply of the stomach, a macroscopic study. By G. A. G. Mitchell, 50

O'Connor, R. J. The evolutionary significance of the embryology of the amphibian nephric system, 95
Odgers, P. N. B. A presomite human embryo with a neurenteric canal, 381
Optic fibres, termination in the lateral geniculate body of the cat. By P. Glees, 434
— — termination in the lateral geniculate body of the monkey. By P. Glees and W. E. Le Gros Clark, 295
Optic tract system of the ferret, subcortical connexions. By J. M. Jefferson, 106
Ossification, sesamoid and epiphysial centres. By R. Wheeler Haines, 101
Ovum, human, at the previllous stage. By J. H. Dible and C. M. West, 269

Packer, A. D. An experimental investigation of the visual system in the phalanger, *Trichosurus vulpecula*, 309
Perodicticus and *Galago*, motor cortex. By S. Zuckerman and J. F. Fulton, 447
Prichard, M. M. L. *See* Franklin, K. J., joint authors, 75
Prostate glands in adult female *Mastomys erythroleucus*. By F. W. Rogers Brambell and D. H. S. Davis, 64

Reconstruction, a stereoscopic X-ray method. By W. R. M. Morton, 265
Retina, observations on the central representation. By W. E. Le Gros Clark, 225
Reviews. Anatomy of the Eye and Orbit. By Eugene Wolff, 142
— Cunningham's Manual of Practical Anatomy. By J. C. Brash and E. B. Jamieson, 143
— General Zoology of the Invertebrates. By G. S. Carter, 143
— Manual of Embryology. By J. Ernest Frazer, 144
— Method of Anatomy. By J. C. Boileau Grant, 143
Roberts, D. The dental comb of lemurs, 236
Romanes, G. J. Cell columns in the spinal cord of a human foetus of fourteen weeks, 145

Schlesinger, B. The angioarchitecture of the thalamus in the rabbit, 176
Senility; cytological changes in the trigeminal ganglion, spinal cord and brain of the mouse. By Warren Andrew, 406
Sensory spots in the skin, multiple innervation. By G. Weddell, 441
Sesamoid and epiphysial centres of ossification. By R. Wheeler Haines, 101
Sgalitzer, K. E. Contribution to the morphogenesis of the thyroid gland, 389
Skin, multiple innervation of sensory spots. By G. Weddell, 441
Small intestine, amount of mucosal tissue. By C. P. Martin and J. Banks, 135
Spinal cord of a human foetus, cell columns. By G. J. Romanes, 145
Swyer, G. I. M. and Zuckerman, S. The effect of denervation on the structure and hormonal responses of the monkey prostate, 368

Tension lines, cleavage lines and hair tracts in man. By F. Wood Jones, 248
Thalamus, angioarchitecture in the rabbit. By B. Schlesinger, 176
— of the phalanger, normal histology. By F. Goldby, 197
Thyroid gland, contribution to morphogenesis. By K. E. Sgalitzer, 389
Trichosurus vulpecula, an experimental investigation of the visual system. By A. D. Packer, 309
— — normal histology of the thalamus. By F. Goldby, 197

Trichrome staining methods, application to embryological technique. By J. S. Baxter, 137

Visual cortex, observations on the association fibre system. By W. E. Le Gros Clark, 225
Visual system in the phalanger, an experimental investigation. By A. D. Packer, 309

Weddell, G. The multiple innervation of sensory spots in the skin, 441
— The pattern of cutaneous innervation in relation to cutaneous sensibility, 346
West, C. M. *See* Dible, J. H., joint authors, 269
Wolff, Eugene. The Anatomy of the Eye and Orbit. Review, 142
Wood Jones, F. Tension lines, cleavage lines and hair tracts in man, 248

Young, Matthew. In Memoriam, 379

Zuckerman, S. and Fulton, J. F. The motor cortex in *Galago* and *Perodicticus*, 447
— *See* Swyer, G. I. M., joint authors, 368

CAMBRIDGE: PRINTED BY W. LEWIS, M.A., AT THE UNIVERSITY PRESS